



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORTALITY—Continued.

Weekly mortality table, foreign and insular cities—Continued.

| Cities. | Week ended— | Estimated population. | Total deaths from all causes. | Deaths from— | | | | | | | | | | |
|------------------------------|-------------|-----------------------|-------------------------------|---------------|---------|----------|---------------|-----------|---------------|----------------|----------------|-------------|----------|-----------------|
| | | | | Tuberculosis. | Plague. | Cholera. | Yellow fever. | Smallpox. | Typhus fever. | Typhoid fever. | Scarlet fever. | Diphtheria. | Measles. | Whooping cough. |
| Ottawa..... | Oct. 22 | 86,000 | 39 | 1 | | | | | | | | 1 | | |
| Nueva Laredo..... | Oct. 15 | 9,000 | 9 | 1 | | | | | | 3 | | | | |
| Palermo..... | do | 340,000 | 160 | 10 | | | | | | | 3 | | | |
| Rotterdam..... | do | 424,619 | 93 | | | | | | | 1 | 2 | 1 | | |
| Para..... | do | 185,000 | 77 | 3 | | | 7 | | | | | | | |
| Paris..... | Oct. 1 | 2,776,394 | 777 | 180 | | | | | | 4 | | 2 | 2 | 8 |
| Do..... | Oct. 15 | | 758 | 160 | | | | | | 3 | 1 | 1 | 2 | 3 |
| Plymouth..... | Oct. 22 | 124,180 | 27 | | | | | | | 1 | | | 1 | |
| Prague..... | Oct. 8 | 233,344 | 73 | 15 | | | | | | 1 | 1 | 1 | | |
| Rangoon..... | Sept. 24 | 252,155 | 175 | 11 | 9 | 1 | | | | | | | | |
| Salgon..... | Sept. 25 | 206,000 | 6 | | | 3 | | 3 | | | | | | |
| St. Petersburg..... | Oct. 1 | 1,620,000 | 698 | 107 | | 62 | | 3 | | 6 | 12 | 17 | 11 | 7 |
| Salina Cruz..... | Oct. 15 | 4,500 | 6 | | | | | 1 | | | | | | |
| Santa-Cruz-de-Teneriffe..... | do | 46,000 | 20 | 3 | | | | | 1 | | | 1 | | |
| Shanghai..... | Oct. 2 | 565,000 | 177 | 11 | | | | 2 | | | | | | |
| Do..... | Oct. 9 | | 166 | 12 | | | | 2 | | | | | | |
| Sheffield..... | Oct. 8 | 472,000 | 128 | 12 | | | | | | | 2 | 1 | | 4 |
| Do..... | Oct. 15 | | 134 | 11 | | | | | | 1 | | 1 | 5 | 1 |
| Singapore..... | Sept. 17 | 271,060 | 233 | 32 | | | | 2 | | | | | | |
| Do..... | Sept. 24 | | 208 | 25 | | | | 3 | | | | | | |
| Southampton..... | Oct. 22 | 127,157 | 38 | 5 | | | | | | 1 | | 3 | 1 | |
| Smyrna..... | Sept. 10 | 400,000 | 49 | 6 | | | | | | 1 | 1 | 3 | | |
| Do..... | Sept. 17 | | 52 | 4 | | | | | | 1 | 1 | 1 | 1 | |
| Do..... | Sept. 24 | | 66 | 9 | | | | | | 2 | 3 | 3 | | |
| Do..... | Oct. 1 | | 48 | 8 | | | | | | 5 | 4 | | | |
| Sydney..... | Oct. 29 | 16,000 | 5 | 1 | | | | | | 1 | | | | |
| Stettin..... | Oct. 8 | 241,000 | 56 | 9 | | | | | | 3 | | | | |
| Trebizond..... | do | 55,000 | | | | 47 | | | | | | | | |
| Trieste..... | do | 223,521 | 82 | | | | | | | | | 1 | 1 | 2 |
| Turin..... | Sept. 29 | 391,988 | 119 | 9 | | | | | | 3 | | | | |

MORTALITY—FOREIGN AND INSULAR—COUNTRIES AND CITIES
(untabulated).

BRAZIL—Rio de Janeiro.—Three weeks ended September 25, 1910. Population, 850,000. Total number of deaths from all causes, 1,119, including typhoid fever 2, measles 48, diphtheria 1, tuberculosis 229.

BURMA—Rangoon.—Month of August, 1910. Population, 301,259. Total number of deaths from all causes 718, including typhoid fever 3, cholera 1, plague 62, tuberculosis 25.

FRANCE—Roubaix.—Month of September, 1910. Population, 121,115. Total number of deaths from all causes, 157, including tuberculosis 14.

GREAT BRITAIN.—Week ended September 17, 1910:

England and Wales.—The deaths registered in 77 great towns correspond to an annual rate of 12.6 per 1,000 of the population, which is estimated at 16,940,895.

Ireland.—The deaths registered in 21 principal town districts correspond to an annual rate of 17 per 1,000 of the population, which is estimated at 1,151,790. The lowest rate was recorded at Lisburn, viz, 4.5, and the highest at Queenstown, viz, 33, per 1,000.

Scotland.—The deaths registered in 8 principal towns correspond to an annual rate of 13 per 1,000 of the population, which is estimated at 1,865,571. The lowest rate was recorded at Leith, viz, 7.8, and the highest at Dundee, viz, 16.2, per 1,000. The total number of deaths from all causes was 473, including typhoid fever 4, scarlet fever 6, diphtheria 10.

Week ended September 24, 1910:

England and Wales.—The deaths registered in 77 great towns correspond to an annual rate of 13 per 1,000 of the population, which is estimated at 16,940,895.

Ireland.—The deaths registered in 21 principal town districts correspond to an annual rate of 17.5 per 1,000 of the population, which is estimated at 1,151,790. The lowest rate was recorded at Dundalk, viz, 4, and the highest at Waterford, viz, 23.4, per 1,000.

Scotland.—The deaths registered in 8 principal towns correspond to an annual rate of 13.6 per 1,000 of the population, which is estimated at 1,865,571. The lowest rate was recorded at Paisley, viz, 9.5, and the highest at Greenock, viz, 23.4, per 1,000. The total number of deaths from all causes was 494, including typhoid fever 3, measles 2, scarlet fever 5, diphtheria 10.

NEW ZEALAND.—Month of July, 1910:

Auckland.—Population 97,929. Total number of deaths 61, including scarlet fever 1, diphtheria 1, tuberculosis 5.

Christchurch.—Population 63,455. Total number of deaths 6, including diphtheria 2, tuberculosis 4.

Dunedin.—Population 62,584. Total number of deaths 59, including tuberculosis 2.

Wellington.—Population 76,390. Total number of deaths 60, including diphtheria 1, tuberculosis 3.

SIAM.—*Bangkok.*—Four weeks ended September 10, 1910. Population 600,000. Total number of deaths from all causes not reported. Deaths from contagious diseases include smallpox 1, cholera 95, plague 4.

SPAIN.—*Cadiz.*—Month of September, 1910. Population 69,382. Total number of deaths from all causes 115, including typhoid fever 4, scarlet fever 1, diphtheria 2, tuberculosis 20.

Huelva.—Month of September, 1910. Population 24,000. Total number of deaths from all causes 69, including typhoid fever 1, diphtheria 2, tuberculosis 8.

Madrid.—Month of September, 1910. Population 613,436. Total number of deaths from all causes 870, including typhoid fever 9, smallpox 6, measles 24, scarlet fever 8, diphtheria 17, tuberculosis 126

By authority of the Secretary of the Treasury:

WALTER WYMAN,

Surgeon-General,

United States Public Health and Marine-Hospital Service.